

1) DIESEL ENGINE-MAK, 6CM 32:-

Diesel Engine	02 Pcs.	
	Make & Type	MaK, 6CM 32 (A Caterpillar Company)
	Serial No.	37337/37335
	Year	2000
	Output	2660 kW
	Speed	600 1/min
	Sense of Rot.	Left
	Governor	
	Make & Type	Woodward, UG-Actuator
	Part No.	A8251=726
	Serial No.	14582355

CONDITION: USED + GOOD.



2) HYDRAULIC PUMP-FUKUSHIMA, FG-5A & FG-16A:-

A)

Hydraulic Pump	01 Pc.	
	Make & Type	Fukushima, FG-5A
	Revolution	700 rpm
	Nominal Press.	3.9 MPa
	Saf. V. Set Press.	4.4 MPa
	Machine No.	F-50871
	Date of Manufac.	2008
	Mass	103 kg

CONDITION : USED + GOOD (Ready to use)

++++

B)

Hydraulic Pump	01 Pc.	
	Make & Type	Fukushima, FG-16A
	Revolution	--- rpm
	Nominal Press.	--- MPa
	Saf. V. Set Press.	-- MPa
	Machine No.	F-64458
	Date of Manufac.	1999
	Mass	268 kg

CONDITION: USED + GOOD (Ready to use)



2) PLUNGER FOR M/E-MAK, M32, as Under:-

S/N.	Item Description	Qty. Able. (Pc.)	Condition
1.	Plunger Assy. Marking:- 517808 W PEO-U8013 Plunger Dia: 28 mm	09	UNUSED / READY TO USE



3) VARIOUS JRC PCB:-

Sr. No.	Description	Qty. Available (Pcs.)	Condition
01	JRC PCB Make: JRC Pcb No: H-7PCRD1164D CMC-634 (PC7501)	01	Used
02	JRC PCB Make: JRC Pcb No: PC4413 CDD-431 H-7PCRD1070D	01	Used
03	JRC PCB Make: JRC Pcb No: PC5101 CBD-842 H-7PCRD0876	01	Used

4) A.C.COMPRESSOR--DAIKIN--JT300DDTFYE: -

Sr.No.	Description	Qty. Avble	Condition
01	<u>A.C.COMPRESSOR</u> MAKE : DAIKIN TYPE : JT 300DDTFYE POWER :3-PHASE,380-415 V,50 HZ // 400-440 V 60 HZ REF : R 404 A MFG : 2020	01 Pc.	UNUSED (TESTED OK)




COMPRESSOR

MODEL JT300DDTFYE@N
POWER THREE PHASE
SOURCE 380-415 V 50 Hz
400-440 V 60 Hz
REF. R404A-R407C R407H
REF OIL DAPHNE FVC68D
MFG NO 0500001 202001

DP-AP H 3.4 Mpa L 2.0 MPa
SP H 10.0 Mpa L 6.0 MPa

PHASE ARRANGMENT



ROHS

MADE IN JAPAN
DAIKIN DEVICE (XI AMLGI LTD.)

- ELECTRIC SHOCK**
- USE THIS COMPRESSOR ON A GROUNDING SYSTEM
- TURN POWER OFF BEFORE SERVICING
- REPLACE TERMINAL COVER BEFORE SERVICING
- INJURY HAZARD**
- WEAR PROTECTIVE GOGGLES
- EXPLOSION OR FIRE**
- USE TURNING CUTTER TO REMOVE COMPONENTS
- DO NOT USE TOUCH SYSTEM CONTAINING REFRIGERANT
- DO NOT DRIVE UNDER AIR OR VACUUM CONDITIONS
- USE ONLY APPROVED REFRIGERANT AND OILS
IN THE MANNER PRESCRIBED ON THE NAMEPLATE
- BURN HAZARD**
- DO NOT TOUCH BY BARE HANDS