

EQUIPMENT LIST DATED 18.03.2023

1) LASHING ROD, Turnbuckle & Twist Lock: -

Sr.No.	Description	Qty. Available (Pcs.)	Condition
01	Lashing Rod, Turnbuckle & Twist Lock:-	01 Lot	Used



2) PISTON RINGS FOR M/E-MAN B & W, S42MC: -

Sr.No.	Description	Qty. Avble (In Pcs.)	Condition
01	Piston Rings:- CPR: 11 mm (06 Pcs.) Left Cut: 8 mm (12 Pcs.) Right Cut: 8 mm (06 Pcs.) Remarks: Alu-Coated	06 Sets	UNUSED

3)



3)

3) HYDRAULIC MOTOR--BAUER--HMB5-1.8-1-T-3-Y: --

S/No.	Item Description	Qty. Avble.	Condition
01	<p>HYDRAULIC MOTOR MAKE & TYPE : Bauer Hydraulics, HMB5-1.8-1-T-3-Y No. of cylinders: 5 Displacement(L/rev.) : 1.8 1 shaft end Shaft type: Taper Slide valve: 300 L/min. Shaft bearings: Cylindrical roller (AS PER MARKING ON THE MOTOR)</p>	02-Pcs	<p>USED+GOOD (SERVICED, READY TO USE) (TRIAL RUN VIDEO AVAILABLE)</p>



4) CRANKSHAFT FOR A/E-MAN B & W, 6L28/32H: -

Sr. No.	Description	Qty. Available (Pcs.)	Condition
01	<p>Crankshaft <u>Marking:-</u> 1235253 LLOYDS-AUG. 501320 MCN85-197 6564.A. 6 NV. 85 N.V. CPN86-2082</p> <p>MAN B & W Crank Type = 6 L 28/32 H</p> <p>Crank Hard Marking :-</p> <p>1235253. LLOYDS. - AUG. 501320. MCN 85. - 197. 6564. A. 6. N.V. 85.</p> <hr/> <p>N.V. CPN. 86 - 2082.</p> <hr/> <p>No. OF C.W.B.=12</p> <p>FRON FREE END SIDE</p> <hr/> <p>C.R. Std.=230</p> <p>1) 229.97.97 .94.94</p> <p>2) 229.97.96 .95.94</p> <p>3) 229.97.97 .95.95</p> <p>4) 229.97.97 .95.95</p> <p>5) 229.96.95 .95.94</p> <p>6) 229.97.96 .94.94</p>	01	Used + Std.

	Main	Std.=240	
	1)	239.95.96 .96.95	
	2)	239.93.92 .92.93	
	3)	239.94.94 .95.94	
	4)	239.95.95 .95.95	
	5)	239.95.95 .95.94	
	6)	239.95.95 .95.95	
	7)	239.94.94 .94.94	
	No. 7 is THRUST		



EQUIPMENT LIST DATED 18.03.2023